
# **H I R W H V E**

# Samsung SMART Hospitality Displays HD590

The unrivalled premium SMART hospitality display for premier hospitality environments



Premium hotels want to provide the superior quality in-room experience that sophisticated travelers expect, with chic TVs that offer a range of features and content options. In addition to ready access to various personal, digital and On Demand content, today's guests want an interface that is simple to use. Research shows that guests typically carry more than two mobile or smart devices, which signifies that guests are also bringing their own entertainment options to the hotel. This is why properties need new strategies to embrace and support this smart mobile trend.

Samsung SMART Hospitality Displays are integrated, highperforming TVs that include many desirable features and an interface designed for ease of use. The displays create a stylish room ambiance and provide a superior viewing experience in a streamlined design. They deliver myriad entertainment options for guests through smart connectivity features. To enhance the hotel's brand, staff members can customize welcome menus with a straightforward interface. Additionally, hotels can stay on budget with affordable content-streaming options and other cost-saving features.

### Upgradepremiumhotelsuiteswithchic, slimdisplays

Samsung SMART Hospitality Displays are designed especially for 4-star, high-end hotels with an ultra-slim and slim profile that creates an elevated level of sophistication. The displays feature Samsung's advanced LED technology that yields an extremely thin form. Especially, HD790 Series features ultaslim profile with edge LED technology. The sleek profile enables the displays to fit into tight hotel rooms, saving space for in-room devices, easily embed into walls or furniture and further elevate the in-room decor. The displays also feature a narrow bezel. Without a cumbersome frame, the TVs virtually blend into the background, allowing guests to focus on the images projected rather than the equipment delivering them.



Figure 1. Samsung SMART hospitality displays upscale hotel suite atmosphere



# Deliver interactivity and rich content to guests with easily managed and customizable solutions

A I R 🥺 W A V E

### Combine rich content, interactivity and manageability

# Leverage a bi-directional and interactive solution for IP hotel infrastructures: LYNK<sup>™</sup> SINC

LYNK<sup>TI</sup>SINC provides hotel guests with a luxurious and entertaining stay built around patrons' schedules or purpose of visit, while ensuring interactivity through an IP-based solution. The solution offers a new grid-type template for delivery of richer content to guests. In addition, LYNK SINC serves all provided content through coaxial cables and IP networks, along with two-way interaction through the solution's linkage to a PMS server. Easily customizable by hotel managers, the solution delivers centralized management of hundreds of hotel displays with controls ranging from TV status monitoring and controlling to guest grouping for differentiated content delivery.

LYNK SINC's new function, IPTV Standalone Solution, is available without SINC content through a free license. Through this function, hotel personnel can control content by editing the IPTV channel list and cloning the channel list to a USB device and copying it to individual TVs. This way, managers can efficiently offer guests IP TV without having to purchase any additional solution.



Figure 2. LYNK SINC offers interactive solution for IP hotel infrastructure

The guest experience is enhanced with access to services and information, such as local event and tourist information, and available discounts. Useful hotel information such as room service or spa menus can be accessed through customizable widgets, as well as free, automatically updated weather information so guests can plan outdoor activities. LYNK SINC enables hotels to provide up-to-date flight information so guests can coordinate checkout times with flight departures and supports personalized, real-time guest messaging. All of these professional capabilities are provided simply over an IP network without the need for STBs, minimizing maintenance complexity and eliminating the cumbersome presence of STBs in the property's hotel rooms.

# Easily manage centrally and remotely with LYNK™ REACH, a flexible and low-cost coaxial infrastructure Hospitality TV solution

Designed exclusively for hospitality businesses to help them manage content and control displays over current RF cables, LYNKT®EACH delivers remote, central and cost -efficient management of in-room displays. LYNK REACH is specialized software provided with LYNK REACH Server for hospitality environments. The software solution provides a simplified UI and editing tool that organizes and displays content, such as hotel information, images and logos, using existing infrastructures. LYNK REACH offers hoteliers advanced advertising functionalities and Channel Bank Management for Pay TV Services. In addition, LYNK REACH improves usability by enabling hotel managers to monitor room status, recent deployment and activity and with a simple, easy and intuitive user interface (UI) through Project Creator.



Figure 3. LYNK REACH offers a flexible and low-cost coaxial infrastructure Hospitality TV solution



### Increase guests' comfort with simplified audio playing through the TV

### Screen Mirroring

Screen Mirroring enables guests to share the screen of a mobile device on the TV. This sharing capability includes the screen configuration in addition to content. This means that the TV displays exactly what displays on the mobile device, with no content restrictions.

#### Digital Living Network Alliance<sup>®</sup> (DLNA)

Digital Living Network Alliance (DLNA) technology enables guests to play personal content through a wireless connection on their room TVs. Content includes movies, photos and music.

#### Soft AP

Soft AP provides a software access point (AP) or hotspot. Up to four devices can connect wirelessly to the AP. Hotel managers can change the signal level and channel of the Soft AP to suit the connectivity environment of different rooms.



Figure 6. Wireless connectivity enables wide variety of content sharing

### Deliver quicker and higher TV performance with Quad Core and Instant On

With a Quad Core processor, guests can experience smoother navigation and faster access to smart features for enhanced TV viewing and operation. With Instant On, the TV boots in only 2 seconds to reduce waiting time.



Figure 7. Quad Core processor enables smoother and faster TV performance

# Enhance content protection with a pure software DRM solution

Samsung LYNK DRM technology provides hoteliers with a protected and cost-effective alternative to traditional hardware-based content protection systems. The solution allows encrypted content to pass safely and to display on hotel TVs.

A software-only implementation, LYNK DRM technology reduces the need for additional equipment and provides quicker recovery for Conditional Access System (CAS) problems. To help ensure reliability of the system, coverage extends to the enlargement of head-end equipment for cable operators.



# Safeguard content with a software-based, reliable and economical DRM solution

# Optimize device and resource management to minimize TCO

Samsung SMART Hospitality Displays provide centralized management from a control room. The displays' convenient and efficient management features reduce staff maintenance visits. Because the displays are connected to the hotel's network infrastructure, management can monitor each inroom TV and instantaneously deploy content grouping policies and EPG from a control room. The simplified configuration with only the display delivers the convenience of a set-top box (STB) configuration without the complexity, cost or hassle.

### **Feature and Benefit**

Model	Feature and Benefit
HD790	<ul> <li>Ultra-slim design for enhancing the premium hotel environment</li> </ul>
	- Full-HD resolution for more enjoyable viewing
	<ul> <li>Management solutions (REACH, SINC, H.Browser) for efficient and simplified management</li> </ul>
HD690	- Slim design for an enhanced guest room appearance
	- Full-HD resolution for a better entertainment experience
	<ul> <li>Bluetooth Music Player for simplified and convenient personal media enjoyment</li> </ul>
	<ul> <li>Management solutions (REACH, SINC, H.Browser) for straightforward and efficient control</li> </ul>
HD590	- Full-HD resolution for enhanced TV viewing
	<ul> <li>Management solutions (REACH, SINC, H.Browser) for economic and simplified content and display management</li> </ul>



# A I R O U A V E DELIVERING YOUR VISION V E Samsung HD590 Series Hospitality Displays

# HD590



- ${\rm t}$   $\,$  Full-HD resolution for enhanced TV viewing
- t Management solutions (REACH, SINC, H.Browser) for economic and simplified content and display management


Basic Feature		Hospitality Solution			Convenience Feature		Security		Clock Option				
Screen Size	Resolution	Design	Processor	Home Menu	Lynk™ Reach	Lynk™ SINC	H.Browser	Bluetooth Player	Embedded Wi-Fi	Software DRM	Securit y Mode	External Clock Compatibility	Software Clock
32", 40"	FHD	Regular	Quad Core	New Home Menu	0	0	0		0	0			0

### 32"



t HG32ED590HB

### Connectors



- 1. USB/CLONING
- 2. COMMONINTERFACE
- 3. HDMIIN 2 (ARC)
- 4. HDMIIN 1 (DVI)
- 5. RJP(Remote Jackpack)
- 6. DATA
- 7. ANTENNAIN 2 (SATELLITE)
- 8. ANTENNAIN 1 (AIR/CABLE)
- 9. HEADPHONE
- 10. HEADPHONE-ID
- 11. PC/DVIAUDIOIN
- 12. PCIN
- 13. ETHERNET(LAN)




40"



t HG40ED590BB

**Connectors** 



**H I R U H V E** 

- 1. USB
- 2. COMMONINTERFACE
- 3. DATA
- 4. ETHERNET(LAN)
- 5. RJP(Remote Jackpack)
- 6. HEADPHONE
- 7. HEADPHONE-ID
- 8. HDMIIN1
- 9. HDMIIN2
- 10. ANTENNAIN
- (SATELLITE, AIR/CABLE)
- 11. PC/DVIAUDIOIN

12. PCIN



### **Specifications**

		32HD590 HG32ED590HB	40HD590 HG40ED590BB
	Destrict		1
Display	Backlight	LED	LED
	Inch	32	40
	HD/FHD/UHD	FHD	FHD
	Resolution	1920 x 1080	1920x1080
Video	Picture Engine	HyperReal	HyperReal
	Micro Dimming	N/A	N/A
	Wide Color Enhancer (Plus)	Yes	Yes
	Auto Motion Plus	N/A	N/A
	Film Mode	Yes	Yes
	Dolby Digital Plus	Yes	Yes
	Virtual Surround	DTS Studio Sound	DTS Studio Sound
	DTS Codec	DTS Premium sound 5.1	DTSPremium sound 5.1
ludio	3D Sound	N/A	N/A
	Sound Output (RMS)	20W(L:10W, R:10W)	20W(L:10W, R:10W)
	Speaker Type	2CH(Down Firing + Base Reflex)	2CH(Down Firing + Base Reflex)
	Woofer	N/A	N/A
	Smart Hub	Yes	Yes
	Apps	Yes	Yes
	Web Browser	Yes	Yes
	Mobile to TV - Mirroring, DLNA	Yes	Yes
	Samsung Smart View	Yes	Yes
	Voice Control	N/A	N/A
	Samsung 3D	N/A	N/A
	3D Converter	N/A	N/A
	Digital Clean View	Yes	Yes
	Auto Channel Search	Yes	Yes
	Auto Power Off	Yes	Yes
Peature	BD Wise Plus	N/A	N/A
eature	Caption (Subtitle)	Yes	Yes
	Channel List USB-Clone	N/A	N/A
	ConnectShare™(HDD)	Yes	Yes
	ConnectShare™(USB 2.0)	Yes	Yes
	Sports Mode	Basic	Basic
	EPG	Yes	Yes
	Game Mode	Yes	Yes
	OSD Language	27 European Languages	27 European Languages
	Picture-In-Picture	Yes	Yes
	BT HID Built-in	No	No
	USB HID Support	Yes	Yes
	Teletext (TTX)	Yes	Yes

**H I R O U H V E** DELIVERING YOUR VISION

### **Specifications**

		32HD590	40HD590
		HG32ED590HB	HG40ED590BB
	Samsung LYNK <sup>TI</sup> SINC Compatibility	Yes	Yes
	H.Browser Compatibility	Yes	Yes
	Samsung LYNK™ REACH	Yes	Yes
	Samsung LYNK™REACH Server Compatibility	Yes	Yes
	Hospitality Home Menu	Yes	Yes
	Bluetooth Music Player (Mobile > TV)	No	No
	Hospitality Plug&Play (Easy Set-up)	Yes	Yes
	Auto Source Mode	Yes	Yes
	Power On Mode	Yes	Yes
	Hotel Channel List	Yes	Yes
	Channel Setup On/Off	Yes	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes
	My Channel	Yes	Yes
	Energy Saving Mode(BLU control)	Yes	Yes
	Logo Display with Time Out Setting (BMP/Movie)	Yes	Yes
	Welcome Message	Yes	Yes
	RJ12 / IR Pass Through	Yes	Yes
	External Clock Compatibility	No	No
	Clock Back Up Supply	Yes	Yes
Hospitality	External Clock Dimming Control	No	No
Feature	Software Clock	Yes	Yes
	Multi Code Remote control	Yes	Yes
	Screwed Battery Cover	Yes	Yes
	Sound Bar Compatibility	Yes	Yes
	Music Mode (Input: PC/AV/Component/HDMI)	Yes	Yes
	Music Mode Backlight on/off	Yes	Yes
	TTX Clock Update (Analogue)	Yes	Yes
	USB Cloning	Yes	Yes
	Smoovie Compatibility	Yes	Yes
	Soft AP	Yes	Yes
	On/Off Timer (Schedule)	Yes	Yes
	Wake-up Timer (Alarm)	Yes	Yes
	Samsung LYNK™ DRM	Yes	Yes
	Pro:Idiom	No	No
	bLAN	No	No
	Security Mode	No	No
	S/W EPG (Solution EPG)	Yes	Yes
	IEC 60601-1	No	No
	Standby LED Color	Red	Red
	Wake on LAN (WOL)	Yes	Yes

**H I R O U H V E** 

### **Specifications**

	HG32ED590HB	HG40ED590BB
HDMI (Side/Rear)	0/2	0/2
USB (Side/Rear)	0/1	1/0
Component In (Y/Pb/Pr) (Side/Rear)	No	No
Composite In (AV) (Side/Rear)	No	No
Ethernet (LAN) (Side/Rear)	0/1	0/1
Headphone (Side/Rear)	0/1	0/1
Audio Out (Mini Jack / LR) (Side/Rear)	No	No
Digital Audio Out (Optical)(Side/Rear)	No	No
PC In (D-sub)(Side./Rear)	0/1	0/1
PC/DVI Audio In (Mini Jack)(Side./Rear)	0/1	0/1
RF In (Terrestrial/Cable input) (Side/Rear)	0/2	0/2
RS232C	Yes(Common Use for RJ12)	Yes(Common Use for RJ12)
CI Slot (Side/Rear)	1/0	1/0
Scart (Side/Rear)	No	No
Pillow Speaker Jack (Side/Rear)	No	No
Variable Audio Out (Side/Rear)	No	No
Variable Audio Out Volume Control (Side/Rear)	No	No
Video Out(Side/Rear)	No	No
RJ12 (Side/Rear)	0/1	0/1
RJP (Remote Jackpack) (Side/Rear)	0/1	0/1
Headphone ID (Side/Rear)	0/1	0/1
Door-Eye Control (Side/Rear)	No	No
Door-Eye Video In (Side/Rear)	No	No
DTVTuner	DVB-T2/C/S2	DVB-T2/C/S2
Analog Tuner	Yes	Yes
Front Color	Black	Black
Stand Type	Square	Square
Swivel (Left/Right)	N/A	N/A
Set Dimension with Stand (WxHxD) (mm)	738.3 * 498.2 * 191.7	905.2 * 562.3 * 196.4
Set Dimension without Stand - Wall Mount Side (WxHxD)(mm)	738.3 * 444.9 * 93.2	905.2 * 525.4 * 91.1
Set Dimension without Stand - Speaker Side (WxHxD) (mm)	738.3 * 444.9 * 93.2	905.2 * 525.4 * 91.1
Set Weight with Stand (kg)	5.9	7.3
Set Weight without Stand (kg)	5.4	6.4
Package Weight (kg)	7.4	9.6
Remote Controller Model	TM1240	TM1240
Battery (for Remote Control)	Yes	Yes
Vesa Wall Mount Support	Yes	Yes
Power Cable	Yes	Yes
Quick Install Guide	Yes	Yes
Data Cable	Yes	Yes
Stand Mount Kit	No	No
	Composite In (AV) (Side/Rear)IEthernet (LAN) (Side/Rear)IHeadphone (Side/Rear)IAudio Out (Mini Jack / LR) (Side/Rear)IDigital Audio Out (Optical) (Side/Rear)IPC In (D-sub) (Side./Rear)IPC/DVI Audio In (Mini Jack) (Side./Rear)IRFIn (Terrestrial/Cable input) (Side/Rear)IRS232CICI Slot (Side/Rear)IVariable Audio Out (Side/Rear)IVariable Audio Out (Side/Rear)IVariable Audio Out (Side/Rear)IVideo Out (Side/Rear)IRJ12 (Side/Rear)IRJ12 (Side/Rear)IPoor-Eye Control (Side/Rear)IDoor-Eye Control (Side/Rear)IDoor-Eye Video In (Side/Rear)IDor-Eye Video In (Side/Rear)ISet Dimension without Stand (WxHxD) (mm)ISet Dimension without Stand - Wall Mount Side (WxHxD) (mm)ISet Weight without Stand (kg)ISet Weight without Stand (kg)IPackage Weight (kg)IRemote Controller Model Battery (for Remote Control)IVesa Wall Mount SuportIPower Cable Quick Install GuideIData CableI	Composite In (AV) (Side/Rear)NoEthernet (LAN) (Side/Rear)0/1Headphone (Side/Rear)0/1Audio Out (Mini Jack / LR) (Side/Rear)NoDigital Audio Out (Optical) (Side/Rear)0/1PC In (D-sub) (Side./Rear)0/1PC/DVI Audio In (Mini Jack) (Side/Rear)0/1RF In (Terrestrial/Cableinput) (Side/Rear)0/2RS232CYes(Common Use for RJ12)Ci Istot (Side/Rear)NoPillow Speaker Jack (Side/Rear)NoVariable Audio Out Volume ControlNoSide/Rear)NoVariable Audio Out Volume ControlNoSide/Rear)0/1Video Out (Side/Rear)NoVideo Out (Side/Rear)NoVideo Out (Side/Rear)0/1Dor-Eye Control (Side/Rear)0/1Dor-Eye Video In (Side/Rear)0/1Dor-Eye Video In (Side/Rear)0/1Dor-Eye Video In (Side/Rear)NoDTV TunerDVB-T2/C/S2Analog TunerYesFront ColorBlackStand TypeSquareSwivel (Left/Right)N/ASet Dimension with Stand (WXHXD) (mm)738.3 * 444.9 * 93.2Set Weight with Stand (kg)5.4Package Weight (kg)7.4Remote Controller ModelTM1240Battery (for Remote Control)YesVessYesOut Stand Kight (Side)YesData CableYesStand TypeYes

**H I R O U H V E** Delivering your vision

19