

Commercial TV LN661H (EU/CIS)

A Standard Smart Hotel TV with Pro:Centric Solution







Pro:Centric Direct

Design	Stand Type	32": 1 pole (Swivel), 28" / 24" : 1 pole (Fixed)
	Inch	32" / 28" / 24"
Display	Resolution	1,366 × 768 (HD)
	Туре	LCD
Broadcasting	Digital	DVB-T2 / C / S2
System	Analog	SECAM / PAL
Solution	Pro:Centric (S Quick Menu, w	mart, Cloud 1.0, Direct 5.0, PCA 3.8), /ebOS22
VESA	32": 200 × 20 28" : 100 × 10 24" : 75 × 75	-



Pro:Idiom




LN661H (EU/CIS)



Pro:Centric Cloud

Pro:Centric Cloud improves the usability of enterprise's CMS solution and cloudification of system, reinforcing the service of 3rd party solution. It also offers various design templates, improving data collection and analytics platform with an eye-catching dashboard.



Pro:Centric Direct

The hotel content management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management. The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages all TVs in the room. The latest PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

* Some features may not be supported based on PCD versions.



Pro:Idiom

Digital Rights Management (DRM) technology provides access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.

LN661H (EU/CIS)



Instant On

The high speed loading system enables users to enjoy content immediately after turning on the TV.

	Auto Installation	
	essing Pro : Centric Configuration tep2 may take up to 30 min(s)	
	Please wait	
Step1	Searching for the Network type	and and
Step3	Searching for the Network type	

EzManager

28" (28LN661HBZD)

RS-232C IN (CONTROL & SERVICE)

A8

0

EXTERNAL

PEAKER OUT CONTROL

OPTICAL DIGITAL AUDIO OUT

HDMI IN 2(eARC/ARC) 2(CI+)

LAN

ħAVℕ

EzManager provides a convenient installation function for automatically set up Pro:Centric TV settings without the extra effort of configuration. Auto-installation requires 1-3 minutes while manual installation requires 3-5 minutes.

HDMI[™]IN 1

USB IN 1 •

▲ COMMON INTERFACE ▲


* All images are for illustrative purposes only.

13/18V---700mA Max LNB ANTENNA/ Satellite IN CABLE IN

CONNECTIVITY

32" (32LN661HBLA) (H/POUT) 0 RS-232C IN (CONTROL & SERVICE) HDMI[™]IN 1 EXTERNAL SPEAKER OUT LAN OPTICAL DIGITAL AUDIO OUT VOLUME CONTRO 13/18V~ 700mA Max rth AV IN (@ Audio in LNB ANTENNA/ MCR68167805 USB IN ← C+ 1(CI+) 2(CI+) HDMI IN ▲ PCMCIA CARD SLOT ▲ 2(eARC/ARC)

24" (24LN661HBLD)



* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.



(Ŀ www.youtube.com/c/LGECommercialDisplay www.facebook.com/LGInformationDisplay www.linkedin.com/com www.linkedin.com/company/lginformationdisplay

www.lg.com/global/business/information-display

DELIVERING YOUR VISION





Business Solutions

For more information, get in touch: info@airwave.tv | 01403 783483